



## OCAL-BLUE Double-Coat Conduit Bodies

- Covers are coated with a molded flange to seal the conduit body.
- The conduit body is molded with a flat surface on its opening to seal with the cover.
- The conduit body and cover are double coated with a nominal .002" (2 mil) blue urethane on both the interior and exterior, before PVC coating is applied.
- A minimum of .040" (40 mil) PVC coating is bonded to the exterior.
- OCAL pressure-sealing sleeves on all threaded hubs.
- Shipped and priced with cover and encapsulated stainless steel screws.
- Covers available separately, designate "covers only" and specify correct form or mark.











**B**

Ocal®

### Conduit Bodies

Shapes (Fittings shown uncoated)

	Metric Size Designator*	Style	½" 16	¾" 21	1" 27	1¼" 35	1½" 41	2" 53	2½" 63	3" 78	3½" 91	4" 103
	<b>C</b>	Form 7	<b>C17</b>	<b>C27</b>	<b>C37</b>	<b>C47</b>	<b>C57</b>	<b>C67</b>	<b>C77</b>	<b>C87</b>		
		Form 8	<b>C18</b>	<b>C28</b>	<b>C38</b>	<b>C448</b>	<b>C58</b>	<b>C68</b>	<b>C78</b>	<b>C88</b>		
		Mark 9*	<b>C19</b>	<b>C29</b>	<b>C39</b>	<b>C49</b>	<b>C59</b>	<b>C69</b>	<b>C789</b>	<b>C889</b>	<b>C1089</b>	<b>C989</b>
	<b>L</b>	Form 7	<b>L17</b>	<b>L27</b>	<b>L37</b>	<b>L47</b>	<b>L57</b>	<b>L67</b>				
		Double faced - may be used as LL or LR - has 2 openings.										
	<b>LB</b>	Form 7	<b>LB17</b>	<b>LB27</b>	<b>LB37</b>	<b>LB47</b>	<b>LB57</b>	<b>LB67</b>	<b>LB777</b>	<b>LB87</b>	<b>LB97</b>	<b>LB107</b>
		Form 8	<b>LB18</b>	<b>LB28</b>	<b>LB38</b>	<b>LB448</b>	<b>LB58</b>	<b>LB68</b>	<b>LB78</b>	<b>LB888</b>	<b>LB98</b>	<b>LB108</b>
		Mark 9*	<b>LB19</b>	<b>LB29</b>	<b>LB39</b>	<b>LB49</b>	<b>LB59</b>	<b>LB69</b>	<b>LB789</b>	<b>LB889</b>	<b>LB989</b>	<b>LB1089</b>
	<b>LL</b>	Form 7	<b>LL17</b>	<b>LL27</b>	<b>LL37</b>	<b>LL47</b>	<b>LL57</b>	<b>LL67</b>	<b>LL777</b>	<b>LL87</b>	<b>LL97</b>	<b>LL107</b>
		Form 8	<b>LL18</b>	<b>LL28</b>	<b>LL38</b>	<b>LL448</b>	<b>LL58</b>	<b>LL68</b>	<b>LL78</b>	<b>LL888</b>	-	-
		Mark 9*	<b>LL19</b>	<b>LL29</b>	<b>LL39</b>	<b>LL49</b>	<b>LL59</b>	<b>LL69</b>	<b>LL789</b>	<b>LL889</b>	<b>LL989</b>	<b>LL1089</b>
	<b>LR</b>	Form 7	<b>LR17</b>	<b>LR27</b>	<b>LR37</b>	<b>LR47</b>	<b>LR57</b>	<b>LR67</b>	<b>LR777</b>	<b>LR87</b>	<b>LR97</b>	<b>LR107</b>
		Form 8	<b>LR18</b>	<b>LR28</b>	<b>LR38</b>	<b>LR448</b>	<b>LR58</b>	<b>LR68</b>	<b>LR78</b>	<b>LR888</b>	-	-
		Mark 9*	<b>LR19</b>	<b>LR29</b>	<b>LR39</b>	<b>LR49</b>	<b>LR59</b>	<b>LR69</b>	<b>LR789</b>	<b>LR889</b>	<b>LR989</b>	<b>LR1089</b>
	<b>T</b>	Form 7	<b>T17</b>	<b>T27</b>	<b>T37</b>	<b>T47</b>	<b>T57</b>	<b>T67</b>	<b>T77</b>	<b>T87</b>	<b>T97</b>	<b>T107</b>
		Form 8	<b>T18</b>	<b>T28</b>	<b>T38</b>	<b>T448</b>	<b>T58</b>	<b>T68</b>	<b>T78</b>	<b>T88</b>	-	-
		Mark 9*	<b>T19</b>	<b>T29</b>	<b>T39</b>	<b>T49</b>	<b>T59</b>	<b>T69</b>	<b>T789</b>	<b>T889</b>	<b>T989</b>	<b>T1089</b>
	<b>TB</b>	Form 7	<b>TB17</b>	<b>TB27</b>	<b>TB37</b>	<b>TB47</b>	<b>TB57</b>	<b>TB67</b>				
		Form 8	<b>TB18</b>	<b>TB28</b>	<b>TB38</b>	<b>TB448</b>	<b>TB58</b>	<b>TB68</b>				
		Mark 9*	<b>TB19</b>	<b>TB29</b>	<b>TB39</b>	<b>TB49</b>	-	-				
	<b>X</b>	Form 7	<b>X17</b>	<b>X27</b>	<b>X37</b>	<b>X47</b>	<b>X57</b>	<b>X67</b>				
		Form 8	<b>X18</b>	<b>X28</b>	<b>X38</b>	<b>X448</b>	<b>X58</b>	<b>X68</b>				
		Mark 9*	<b>X19</b>	<b>X29</b>	<b>X39</b>	-	-	-				

NOTE - Inches indicated in bold face type \* Metric size designator (ANSI C80.1-1994).  
Metric measure is directly below bold face type and are also in bold.

Cat. No.	Color	Manufacturer
<b>LB17</b>	<b>G</b>	<b>-1</b>
	G = Gray R = Red W = White B = Blue * Custom Colors Available	-1 = T&B Blank = Other Manufacturer